- 1 Claim 1. (original) A chemical dispensing apparatus for use with an air
- 2 conditioning or heating system to reduce airborne contaminates from the air
- 3 stream of a conditioned space comprising a chemical supply section including
- 4 a chemical reservoir and a chemical delivery device to store and supply
- 5 chemical to the contaminated air stream and a dispensing control section
- 6 including a microprocessor control to selectively control the dispensing of
- 7 chemical to the contaminated air stream.
- 1 Claim 2. (original) The chemical dispensing apparatus of Claim 1 wherein
- 2 said chemical reservoir comprises a chemical storage container and a
- 3 chemical feed control.
- 1 Claim 3. (original) The chemical dispensing apparatus of Claim 2 wherein
- 2 the chemical delivery section comprises a chemical dispensing device coupled
- 3 to said chemical storage container by a chemical supply conduit through a
- 4 chemical flow control.
- 1 Claim 4. (original) The chemical dispensing apparatus of Claim 3 wherein
- 2 said chemical flow control comprises a normally closed flow control valve
- 3 selectively movable between an open position and a closed position coupled
- 4 to said dispensing control section by a conductor to receive actuating signals
- 5 therefrom to selectively move from said normally closed position to said open

- 6 position to allow the chemical to flow from said chemical storage container to
- 7 the air handler.
- 1 Claim 5. (currently amended) The chemical dispensing apparatus of
- 2 Claim 4 wherein said chemical feed control wherein said chemical dispensing
- 3 device comprises an atomizing nozzle coupled to the chemical storage
- 4 container.
- 1 Claim 6. (original) The chemical dispensing apparatus of Claim 4
- 2 wherein said chemical feed control is a check valve.
- 1 Claim 7. (original) The chemical dispensing apparatus of Claim 6 further
- 2 including a blower control to receive control or actuating signals to selectively
- 3 actuate or energize a blower when chemical is dispensed from said chemical
- 4 storage container.
- 1 Claim 8. (original) The chemical dispensing apparatus of Claim 7 wherein
- 2 said blower control includes a transformer and blower control relay box.
- 1 Claim 9. (original) The chemical dispensing apparatus of Claim 1 wherein
- 2 said dispensing control section comprises a microprocessor control device
- 3 including a display to provide a visual display of the system status.

100/p00 2

- 1 Claim 10. (original) The chemical dispensing apparatus of Claim 9
- 2 wherein said microprocessor control device controls the operating cycle by the
- 3 frequency of application and duration of dispensing of the chemical.
- 1 Claim 11. (original) The chemical dispensing apparatus of Claim 10
- 2 wherein said microprocessor control device includes an up control key and a
- 3 down control key to selectively control said operating cycle.
- 1 Claim 12. (original) The chemical dispensing apparatus of Claim 9
- 2 wherein said microprocessor control device monitors and records the
- 3 operation of said chemical dispensing apparatus.
- 1 Claim 13. (original) The chemical dispensing apparatus of Claim 9
- 2 wherein said microprocessor control device monitors consumption of
- 3 chemical.
- 1 Claim 14. (original) The chemical dispensing apparatus of Claim 13
- 2 wherein said microprocessor control devices monitors consumption of
- 3 chemical through dispensing rate calculations.
- 1 Claim 15. (original) The chemical dispensing apparatus of Claim 14
- 2 wherein said display includes a display of chemical in said reservoir.

- 1 Claim 16. (original) The chemical dispensing apparatus of Claim 13
- 2 wherein said microprocessor control devices monitors consumption of
- 3 chemical through a sensor.
- 1 Claim 17. (original) The chemical dispensing apparatus of Claim 16
- 2 wherein said display includes a display of chemical in said reservoir.
- 1 Claim 18. (original) The chemical dispensing apparatus of Claim 15
- 2 wherein the chemical may be manually dispensed by pressing a program
- 3 mode key and then pressing a manual injection key.